


FIG. 2



^{2/30} FIG. 3





FIG. 4







FIG. 6



4/30 FIG. 7








FIG. 8









6/30 FIG. 12A








FIG. 12B







8/30 FIG. 14



9/30 FIG. 15





FIG. 16



10/30 FIG. 17A





FIG. 17B






FIG. 19A




FIG. 19B

12/30 FIG. 20A







FIG. 20B



13/30 FIG. 21A






14/30

FIG. 22A

FIG. 22B








FIG. 22C





15/30 FIG. 23A





FIG. 23B



^{16/30} FIG. 23C






FIG. 23D



17/30 FIG. 24A






FIG. 24C
5053 5052
507
507
5072
5072
5073 5062 5063

18/30 FIG. 25




FIG. 26

604

607

606

603

A3

B4

605

B4

^{19/30} FIG. 27





FIG. 28



^{20/30} FIG. 29






FIG. 30





^{21/30} FIG. 32A





FIG. 32B



^{22/30} FIG. 32C





FIG. 32D



23/30 FIG. 33A





FIG. 33B



^{24/30} FIG. 34







FIG. 35

721







11

28/30 FIG. 39




FIG. 40


162

1N-1 OUT-1 IN-2 OUT-2 IN-3 OUT-3

161

29/30

FIG. 41



30/30

List of References in the Drawings

- 1, 71, 131, 601 FIRST COIL
- 2, 72, 602 FIRST INPUT TERMINAL
- 3, 73, 603 FIRST OUTPUT TERMINAL
- 4, 74, 132, 604 SECOND COIL
- 5, 75, 605 SECOND INPUT TERMINAL
- 6, 76, 606 SECOND OUTPUT TERMINAL
- 7, 607, 713, 723, 730, 740, 750 MAGNETIC MATERIAL
- 31, 631 ARCUATE PART
- 32, 134, 135, 136, 635 END
- 33, 633 CONNECTION
- 34, 634, 715, 716 COIL PART
- 50, 505, 506, 507, 508, 509, 510, 511, 712, 721, 722, 731, 732, 741, 742,
- 751, 752 COIL
- 51, 632 INSULATION FILM
- **52 UNDERLYING LAYER**
- 53 UPPERMOST LAYER
- 61 INPUT POWER
- **62 SWITCHING ELEMENT**
- **63 CHOKE COIL**
- **64 CAPACITOR**
- 65 LOAD
- 77, 133 THIRD COIL
- 78 THIRD INPUT TERMINAL
- 79 THIRD OUTPUT TERMINAL
- 121 INDICATION AREA
- 501 RIGHT COIL (TERMINAL-INTEGRATED TYPE COIL)
- 502, 504 CENTER COIL (TERMINAL-INTEGRATED TYPE COIL)
- 503 LEFT COIL (TERMINAL-INTEGRATED TYPE COIL)
- 641, 642, 643, 644, 649, 650, 651, 652 CENTER POINT
- 645, 646, 647, 648 OUTER PERIPHERY
- 20, 151, 161, 171, 733, 735, 743, 745, 753, 755, 5052, 5062, 5072 INPUT TERMINAL
- 30, 162, 172, 734, 736, 744, 746, 754, 756, 5053, 5063, 5073 OUTPUT TERMINAL

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.